L Number	Hits	Search Text	DB	Time stamp
1	1	pars$3 with identif$7 with ((single adj value) single-value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:39
2	1	pars$3 with identif$7 with ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:40
3	6	pars$3 with ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:45
4	1	(pars$3 with identif$7 with entr$3) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:45
5	1	(pars$3 with identif$7 with (data value entr$3)) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:46
6	17	(pars$3 with (data value entr$3)) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:46
7	3	(pars$3 with (entr$3)) same ((single adj value) single-value multi-value multiple-value (multiple adj value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:46
-	407	(((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute)) and (attribute near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 12:37
-	93	(((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute) and (value near3 attribute)) and (multiple near3 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:36
-	18	(((((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg$3 near3 table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 13:57
-	2	(((database and data value and attribute and profil$3 and table and merg$3 and overflow) and (stor$3 near3 data)) and ((entry entries) with attribute) and (value near3 attribute)) and (overflow with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/20 17:37
-	50	merged adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46

Best Available Copy

C:\APPS\EAST\Workspaces\09316754.wsp

-		51	overflow adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-		19	(merged adj table) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:46
-		18	(overflow adj table) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:55
-		146	database and (multiple near3 value near3 attribute) and (table group$3 categor$5 sort$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/02 13:59
-		27	(((((database and data value and attribute and (pars$3 profil$3) and table and merg$3 and overflow) and (stor$3 near3 (value data))) and ((entry entries) with attribute)) and (attribute near3 table)) and (merg$3 near3 table)) and (single multiple (multiple adj2 value) (multi-value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 15:17
-		70	(database (data adj base)) and ((attribute) with (data near3 (sort$3 categor$5 profil$4 pars$4)) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:08
-		70	(database (data adj base)) and ((attribute) with (data near3 (sort$3 categor$5 profil$4 pars$4)) with table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 08:22
-		18	((database (data adj base)) and ((attribute) with (data near3 (sort$3 categor$5 profil$4 pars$4)) with table)) and pars$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/15 17:27
-		27	(database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 11:31
-		13	(database (data adj base)) and attribute and (((information value data) near3 (categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 09:56
-		51	(database (data adj base)) and attribute and (((information value data) near3 (defin$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 09:06
-		13	(((database (data adj base)) and attribute and (((information value data) near3 (categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)) and (table merg$3 join$3 overflow default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05

-	27	((database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:05
-	27	(((database (data adj base)) and attribute and (((information value data) near3 (sort$3 categor$5 profil$4 pars$4)) same ((sav$3 stor$3 record$3) near3 ((merg$3 join$3 overflow attribute) near3 table)))) and (single multiple multi-valu$2 value)) and (table merg$3 join$3 overflow default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 10:06
-	853	(((analyz$5 categor$5 pars$3 organiz$5) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:11
-	93	(((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:29
-	6	((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	39	((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:30
-	0	(((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not ((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:19
-	33	(((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:19
-	63	(((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:40
-	6	((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))) and (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value)))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31

C:\APPS\EAST\Workspaces\09316754.wsp

-	0	((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with table))) and (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value)))) not ((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and (((multiple many) near4 value) or ((single one) near4 value))) not (((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value)))) not ((((((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same (merg$3 join$3 attribut$3) same table)) and ((multiple many) near4 value) and ((single one) near4 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:31
-	1	(((pars$3) with (input data information)) same (record$3 sav$3 stor$3) same ((merg$3 join$3 attribut$3) with relation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/05 13:41
-	906	((other another plurality many multiple multi second) near5 schema)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:07
-	124	((other another plurality many multiple multi second) near5 schema) with table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:08
-	117	((other another plurality many multiple multi second) near5 schema) same ((table with defin$5) (((data adj base) database) with structur$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:51
-	49	((other another plurality many multiple multi second) near5 schema) with ((table with defin$5) (((data adj base) database) with structur$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:45
-	22	(((other another plurality many multiple multi second) near5 schema) with ((table with defin$5) (((data adj base) database) with structur$3))) and ((pars$3 profil$3 divid$3) with (data input information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:13
-	27	(((other another plurality many multiple multi second) near5 schema) with ((table with defin$5) (((data adj base) database) with structur$3))) not ((((other another plurality many multiple multi second) near5 schema) with ((table with defin$5) (((data adj base) database) with structur$3))) and ((pars$3 profil$3 divid$3) with (data input information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 14:45
-	84	((other another plurality many multiple multi second) near5 schema) same ((table with defin$5) (((data adj base) database) with structur$3) same ((sav$3 record$3 stor$3) with (data information object record)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:11
-	252	(((other another plurality many multiple multi second) near5 schema) same ((sav$3 record$3 stor$3) with (data information object record)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:03
-	106	(((other another plurality many multiple multi second) near5 schema) near8 ((sav$3 record$3 stor$3) with (data information object record)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:04

Best Available Copy

-	196	(((sav$3 record$3 stor$3) with (data information object record)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:54
-	162	(((sav$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:53
-	141	((((sav$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database))) not (((other another plurality many multiple multi second) near5 schema) with ((table with defin$5) (((data adj base) database) with structur$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 15:54
-	29	(((sav$3 record$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database)) and ((merg$3 join$3) near3 table) and ((attribut$3 near3 table) ((multi multiple) near3 attribut$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/04 16:37
-	12	(((sav$3 record$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database)) and (((merg$3 join$3) near3 table) single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:22
-	23	((((sav$3 record$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database)) and ((merg$3 join$3) near3 table) and ((attribut$3 near3 table) ((multi multiple) near3 attribut$3))) not ((((sav$3 record$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database)) and (((merg$3 join$3) near3 table) single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:04
-	1	(((sav$3 stor$3) with (data information object)) same ((single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))) same ((differen$3 another second) with table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:12
-	5	(((sav$3 stor$3) with (data information object)) same ((single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))) same ((differen$3 another second many plural$3 multiple multi) with table))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:15
-	6	(((sav$3 stor$3) with (data information object)) same ((single-value (single adj value)) same (multi-value (multiple adj value))) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:17
-	8	((sav$3 stor$3) same (data information object) same (single-value (single adj value)) same (multi-value (multiple adj value)) same table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/05 10:17
-	12	(((sav$3 record$3 stor$3) with (data information object)) with ((differen$3 another plurality many multiple multi second) with schema) with (table (data adj base) database)) and (((merg$3 join$3) near3 table) single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:42
-	7	(((differen$3 another plurality many multiple multi second) with schema) with ((data adj base) database)) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/09 16:49

| - | 37 | ((differen$3 another plurality many multiple multi second) with schema$1) and ((data adj base) database) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/09 16:50 |
| - | 30 | ((((differen$3 another plurality many multiple multi second) with schema$1) and ((data adj base) database) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))) not (((((differen$3 another plurality many multiple multi second) with schema) with ((data adj base) database)) and (single-value (single adj value)) and ((multi-value) ((multi multiple) near3 value))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/09 16:50 |

C:\APPS\EAST\Workspaces\09316754.wsp